	Application No.	Applicant(s)
Notice of Allowability	10/715,868 Examiner	ARROYO ET AL.
	Examiner	Artonit
	M. Franco Salvoza	1648
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendments filed 08/04/06.</u>		
2. X The allowed claim(s) is/are <u>4-13,15,19-22,26-29,33-37 and 41-44.</u>		
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) All b) Some* c) None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5  Notice of Informal D	Andrea Angelia di sa
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>	5. ☐ Notice of Informal P	` '
2. In Notice of Draffperson's Patent Drawing Review (P10-948)	6. ☑ Interview Summary Paper No./Mail Da	
3. Information Disclosure Statements (PTO/SB/08),	7. 🛭 Examiner's Amendr	
Paper No./Mail Date <u>See Continuation Sheet</u> 4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.	

Continuation of Attachment(s) 3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date: 06/19/06, 08/04/06, 09/13/04.

Application/Control Number: 10/715,868

Art Unit: 1648

## **DETAILED ACTION**

1. Claims 1-3, 14, 16-18, 23-25, 30-32, 38-40 have been canceled.

2. Claims 4-9, 13, 15, 19-22, 26-29, 33-36, 41-44 have been amended.

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with attorney Susan Michaud on October 13, 2006.

The application has been amended as follows:

The specification has been amended on pages 3, 5 to:

"09/121,587 (issued as U.S. Patent No. 6,962,708), and 09/452,638 (issued as U.S. Patent No. 6,696,281);"

5. The nucleic acid molecule of claim 4, wherein said nucleic acid molecule wherein the sequence encoded by said nucleic acid molecule further comprises an amino acid substitution in amino acid position 107.

The following is an examiner's statement of reasons for allowance: The amino acid substitutions at positions 316 and 440 are not taught in the prior art.

Application/Control Number: 10/715,868

Art Unit: 1648

Page 3

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to M. Franco Salvoza whose telephone number is (571) 272-8410. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bruce Campell can be reached on (571) 272-0974. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

M. Franco Salvoza
Patent Examiner

BRUCE R. CAMPELL, PH.D SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 1600